

1/3

Fig. 1





Fig. 2



2/3




Fig. 3

Fig. 4

Type of load/ conditioning situation	Thermal control element setting	Draught sensitivity setting	Air outlet temperature	Strength of fan	Active dischargers	Discharge direction
Overheating summer	+	-	low	Max.	Face-Level	Face
	+	0	low	Max.	Face-Level	Head diffuse
	+	+	low	average	All diffuse	Past head
	0	-	Min.	Max.	Face-Level	Face
	0	0	Min.	Max.	Face-Level	Head diffuse
	0	+	Min.	average	All diffuse	Past head
	-	-	Min.	Max.	Face-Level	Face
	-	0	Min.	Max.	Face-Level	Head diffuse
	-	+	Min.	average	All diffuse	Past head
Stationary summer	+	-	average	Max.	Face-Level	Face
	+	0	average	average	Face-Level/ Defrost	past
	+	+	average	low	all over	past
	0	-	low	Max.	Face-Level	Face
	0	0	low	low	Face-Level/ Defrost	past
	0	+	low	Min.	all over	past
	-	-	Min.	Max.	Face-Level	Face
	-	0	Min.	low	Face-Level/ Defrost	past
	-	+	Min.	Min.	all over	past
	0	-	average	Max.	Face-Level	Face
	0	0	average	low	all over	past
	0	+	average	Min.	all over	past
Stationary transitional	0	+	average	Min.	all over	past
Stationary winter	+	+	high	Min.	all over	Side window
Undercooling winter	0	-	Max.	Max.	all over	Face/side window
	0	0	Max.	Max.	all over	Side window
	0	+	Max.	low	Foot	past